



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 4, 2017

Ms. Stephanie Hacker
Regulatory Affairs Manager
Agent for Ridley USA, Inc.
c/o Kelly Registration Systems
14481 Lochridge Boulevard
Covington, GA 30014

Subject: Label Amendment – Updating Master Label for Guaranteed Analyses/Ingredients for State Registrations; Addition of Graphics & Addition of New ABNs
Product Name: V.M.S. Pest-A-Side Block with Rabon
EPA Registration Number: 7698-29
Application Date: March 1, 2017
Decision Number: 527164

Dear Ms. Hacker:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Mr. Carmen J. Rodia, Jr. by phone at (703) 306-0327, or via email at Rodia.Carmen@epa.gov.

Sincerely,



Richard Gebken
Product Manager 10
Invertebrate & Vertebrate Branch 2
Registration Division (7505P)
Office of Pesticide Programs

Enclosure: Stamped "Accepted" Master Label, dated August 4, 2017

V.M.S. Pest-A-Side Block with Rabon

{ABNs: EASYLIX® Brand Supplements RABON® Fly Control Block;
 Prairie Pride Feeds® Quality-Nutrition-Value RABON® Pressed Block;
 Ranch-Way Feeds® RABON® Fly Control Block;
 STOCKADE Since 1946® RABON® Fly Control Block;
 SWEETLIX® Livestock Supplement System Pest-A-Side Pressed Block with RABON®;
 SWEETLIX® Pest-A-Side Pressed Block with RABON®;
 ULTRALYX® Nutritional Supplements RABON® Fly Control Block; and
 ULTRALYX® RABON® Fly Control Block}

A Free Choice Supplement Block for Cattle [and Horses]

For control of fecal flies in manure of treated cattle [and horses]. Prevents development of face, horn, house and stable flies in the manure of treated cattle. [Prevents development of house and stable flies in the manure of treated horses.]

Active Ingredient:

| | |
|---|--------------|
| Tetrachlorvinphos* (CAS # 22248-79-9) | 0.3% |
| Other Ingredients** | <u>99.7%</u> |
| Total | 100.0% |


*RABON® Insecticide - Contains 1.36 grams RABON® per pound

**Refers only to ingredients which are not larvicidal

Guaranteed Analysis

{Will vary according to state labeling regulations}

| | |
|-------------------------|---------------|
| Calcium (Min) | 10.00% |
| Calcium (Max) | 12.00% |
| Phosphorus (Min) | 1.00% |
| Salt (Min) | 18.00% |
| Salt (Max) | 21.00% |
| Copper (Min) | 100 ppm |
| Iodine (Min) | 5 ppm |
| Manganese (Min) | 400 ppm |
| Selenium (Min) | 12 ppm |
| Zinc (Min) | 300 ppm |
| Vitamin A (Min) | 100,000 IU/lb |
| Vitamin D-3 (Min) | 10,000 IU/lb |
| Vitamin E (Min) | 10 IU/lb |



Ingredients

{Will vary according to state labeling regulations}

Processed grain by-products, calcium carbonate, salt, molasses products, calcium hydroxide, monocalcium phosphate, dicalcium phosphate, manganous oxide, manganese sulfate, zinc oxide, zinc sulfate, copper sulfate, sodium selenite, ethylenediamine dihydroiodide, calcium iodate, cobalt carbonate, Vitamin A supplement, Vitamin D-3 supplement, Vitamin E supplement and mineral oil.

Keep Out of Reach of Children
CAUTION
First Aid

| | |
|---|---|
| If Swallowed: | <ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything by mouth to an unconscious person. |
| If on Skin: | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice. |
| If in Eyes: | <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or physician for treatment advice. |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call the National Pesticide Information Center at 1-800-858-7378 , Monday through Friday from 8AM to 12PM Pacific Time. After 12PM Pacific Time weekdays and during the weekend, call your poison control center at 1-800-222-1222 . | |
| Note to Physicians and Veterinarians This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Product may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage. | |

(Note: The First Aid Statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.)

PRECAUTIONARY STATEMENTS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment ("PPE")

All pesticide handlers must wear: Long-sleeved shirt and long pants; shoes and socks; and chemical-resistant gloves made of barrier laminate, nitrile rubber \geq mils, neoprene rubber \geq 14 mils, butyl rubber \geq 14 mils and/or viton \geq 14 mils.

User Safety Requirements

Follow manufacturers' instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should thoroughly wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should immediately remove clothing if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should immediately remove PPE after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is highly toxic to fish.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[Use Restriction: Not to be used on horses destined for slaughter.]

[Precautions for Horse Use: This product contains tetrachlorvinphos, which is a cholinesterase inhibitor. The most frequently reported clinical signs of cholinesterase inhibition in the horse are abdominal pain, lethargy, sweating, tearing and excessive salivation. If these signs are seen in horses, immediately consult your veterinarian. Do not use this product simultaneously or within a week before or after treatment with cholinesterase inhibiting drugs, pesticides or chemicals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. This product has not been tested in breeding horses.]

Feeding Instructions

1. Feed 1 block per 10-15 head of cattle [or horses]. This allows all animals equal access to blocks.
2. Place blocks where animals congregate. Locate blocks throughout pasture, placing them near water and loafing areas. Maintain adequate distance between blocks (10 ft. minimum).
3. Do not allow animals to run out of blocks. When a block is half-consumed, place a new block near it. Place very small pieces in troughs or feed pans.
4. Feed blocks at the rate of 0.88 oz. per 100 lb. of bodyweight per day. This intake will supply 0.07 grams of larvicide per 100 lbs. of bodyweight per day (2.1 grams per 100 lbs. bodyweight per month). Animals will consume about 8.8 oz. per head daily based on a 1,000-lb. animal.
5. Blocks can be fed to animals in confinement. Exact location of blocks to obtain desired consumption will vary between confinement feeding programs.
6. Feed as the only **free choice** source of salt, other minerals and vitamins.
7. **V.M.S. Pest-A-Side Block with RABON** prevents development of fecal flies in the manure of treated cattle [and horses], but it is not effective against existing adult flies. It is necessary to use other control measures to reduce existing adult fly populations. In order to achieve optimum fly control, use **V.M.S. Pest-A-Side Block with RABON** in conjunction with other good management and sanitation practices. Start feeding **V.M.S. Pest-A-Side Block with RABON** early in the spring before flies begin to appear and continue feeding throughout the year until cold weather restricts fly activity.
8. **V.M.S. Pest-A-Side Block with RABON** may be fed to cattle up until slaughter and to lactating cows. Follow feeding directions. When animals consume the block at the recommended rate, it will supply 3 mg of selenium. Consumption of selenium should not exceed 3 mg per head daily.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals, and away from other pesticides, fertilizers, food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Offer container for recycling, if available, or puncture and dispose of empty container in a sanitary landfill, or by other procedures approved by State and local authorities.

{Per PR Notice 2007-4, a lot/batch number will appear on either the labeling or container.}

IMPORTANT: This product, which contains added copper, should not be fed to sheep, or any species that have a low tolerance to supplemental copper.

RABON® is a registered trademark of Bayer HealthCare LLC
EASYLIX®, Prairie Pride Feeds®, STOCKADE®, SWEETLIX® and ULTRALYX®
are registered trademarks of Ridley USA Inc.
Ranch-Way Feeds® is a registered trademark of Ranch-Way, Inc.

EPA Reg. No. 7698-29 EPA Est. _____

NET WEIGHT: ____ LBS (____ KG)

Manufactured by
Ridley USA Inc.
111 West Cherry Street, Suite 500
Mankato, MN 56001

[[Batch #]] {Product Code} {Date Code}

[For additional information, please contact your {Brand/Company Name} representative.]

{Graphics}



{End of Graphics}

[] Denotes language that is optional

{ } Denotes language that does not appear on the market labeling.